

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

NEW PRIORITY DATE:
JAN 11 2012

Date of filing in State Engineer's Office AUG 29 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 29 2005

The applicant **James J. And Louann M. Senary** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground source**
2. The amount of water applied for is **0.0200 cfs (1 Acre foot)** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Commercial use**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") **Construction Company**
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **within the NE¼ NW¼ Section 29, Township 19 South Range 53 East M.D.B.&M., from which the N¼ Corner of said Section 29 bears N46°09'18"E a distance of 1336.55 feet.**
6. Place of Use **within the NE¼ NW¼ Section 29, Township 19 South Range 53 East M. D. B. &M. being lot 42 of Crystallaire Estates File No. 20009 Nye County Records, being APN# 29-404-02**
7. Use will begin about **January 1st** and end about **December 31st** of each year.
8. Description of proposed works **8" well with pressure tank, Pump, Motor thru plastic service lines**
9. Estimated cost of works **\$20,000.00**
10. Estimated time required to construct works **2 Years existing 8" well with pressure tank pump and motor**
11. Estimated time required to complete the application of water to beneficial use **4 years**

12. Remarks: Construction Company with truck parking, Residential Manufactured House, Trees and Dust control

Richard L. Hafen
By s/ Richard L. Hafen Agent
2383 Gateway Rd.
Las Vegas Nevada. 89115

Compared mt/gkl lt/ gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

Permit 73187 is issued for commercial water service to the parcel identified by Nye County as APN 29-404-02. Upon cessation of pumping for commercial purposes at this place of use, the water under Permit 73187 shall return to the groundwater source and no application to change or relinquishment will be allowed.

(Continued on Page 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second, but not to exceed 1.0 acre-foot annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

January 11, 2008

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

January 11, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 11th day of January, A.D. 2007

Tracy Taylor, P.E.
State Engineer

Completion of work filed July 19, 2007

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

FEB 18 2011
~~CANCELLED~~ BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH
THE PROVISIONS OF PERMIT
[Signature] P.E. STATE ENGINEER
Can. Rescinded 7-18-2011